YTE Mechanical Suspension
Spare Parts Listing

Distributors

For Your Trailer Axle Suspension Needs Call York :

Head Office

Singapore York Transport Equipment (Asia) Pte. Ltd.
No. 5 Tuas Avenue 6, Singapore 639295
Email : enquiry@yorktpt.com.sg
Tel : (65) 6861 0577 Fax : (65) 6861 4045

YTESuspSpares.RevE.Nov2009

Content | Page

YTE Suspension Spare Parts Listing	**2 - 17**
a. YTE 75 Mechanical Suspension	
i) Overslung (Round & Square Axles)	2 - 3
ii) Underslung (Round & Square Axles)	4 - 7
b. YTE 75/90 Mechanical Suspension	
i) Overslung (Round & Square Axles)	8 - 9
ii) Underslung (Round & Square Axles)	10 - 11
c. YTE 90 Mechanical Suspension	
i) Overslung (Round & Square Axles)	12 - 15
ii) Underslung (Round & Square Axles)	16 - 17

York policy is one of continuous development. We therefore reserve the right to amend specifications without notice or obligation.

YTE 75 Mechanical Suspension, Overslung



YTE 75 Mechanical Suspension, Overslung

Item	Description	5" Round Axle Beam						6" Square Axle Beam					
		Single		Tandem		Tri-Axle		Single		Tandem		Tri-Axle	
		Qty.	Part No.	Qty.	Part No.	Qty.	Part No.	Qty.	Part No.	Qty.	Part No.	Qty.	Part No.
1	Front Hanger	2	900201	2	900201	2	900201	2	900201	2	900201	2	900201
2	Rear Hanger	2	900203	2	900203	2	900203	2	900203	2	900203	2	900203
3	M12 x 1.75 x 120 Ht. Hex. Bolt	2	HB12/175/120	2	HB12/175/120	2	HB12/175/120	2	HB12/175/120	2	HB12/175/120	2	HB12/175/120
4	M12 x 1.75 Nylon Locknut	6	LN12/175	14	LN12/175	22	LN12/175	6	LN12/175	14	LN12/175	22	LN12/175
5	Equalizer Hanger - 1230mm, 1315mm, 1360mm (1)			2	900202	4	900202			2	900202	4	900202
5	Equalizer Hanger - 1540mm (1)			2	900204	4	900204			2	900204	4	900204
6	Equalizer - 1230mm (1)			2	900007	4	900007			2	900007	4	900007
6	Equalizer - 1315mm, 1360mm (1)			2	900206	4	900206			2	900206	4	900206
6	Equalizer - 1540mm (1)			2	900010	4	900010			2	900010	4	900010
7	M12 x 1.75 x 130 Ht. Hex. Bolt			4	HB12/175/130	8	HB12/175/130			4	HB12/175/130	8	HB12/175/130
8	Equalizer Shaft			2	900018	4	900018			2	900018	4	900018
9	M24 x 3.0 Nylon Locknut			10	LN24/300	16	LN24/300			10	LN24/300	16	LN24/300
10	Equalizer Washer			2	901009	4	901009			2	901009	4	901009
11	Equalizer Bush			4	901020	8	901020			4	901020	8	901020
11	Equalizer Bush (Poly)			4	901020P	8	901020P			4	901020P	8	901020P
12	Fixed Torque Arm									1	901100/370	1	901100/370
12	Fixed Torque Arm	1	901100/395	1	901100/395	1	901100/395	1	901100/395	1	901100/395	1	901100/395
13	Adjustable Torque Arm Screw (260mm)	1	900033/01	1	900033/01	1	900033/01	1	900033/01	1	900033/01	1	900033/01
14	Adjustable Torque Arm End R/H	1	900024R	2	900024R	3	900024R	1	900024R	2	900024R	3	900024R
15	Adjustable Torque Arm End L/H	1	900024L	2	900024L	3	900024L	1	900024L	2	900024L	3	900024L
16	M12 x 1.75 x 50 Ht. Hex. Bolt	4	HB12/175/050	8	HB12/175/050	12	HB12/175/050	4	HB12/175/050	8	HB12/175/050	12	HB12/175/050
17	Fixed Torque Arm - 1230mm (1)			1	901100/495	2	901100/495			1	901100/495	2	901100/495
17	Fixed Torque Arm - 1315mm (1)			1	901100/525	2	901100/525			1	901100/525	2	901100/525
17	Fixed Torque Arm - 1360mm (1)			1	901100/550	2	901100/550			1	901100/550	2	901100/550
17	Fixed Torque Arm - 1540mm (1)			1	901100/470	2	901100/470			1	901100/470	2	901100/470
18	Adjustable Torque Arm Screw (350mm)			1	900033/02	2	900033/02			1	900033/02	2	900033/02
18	Adjustable Torque Arm Screw (420mm)			1	900033/03	2	900033/03			1	900033/03	2	900033/03
19	Torque Arm Pin	4	930017	8	930017	12	930017	4	930017	8	930017	12	930017
20	Torque Arm Washer	4	901010	8	901010	12	901010	4	901010	8	901010	12	901010
21	Torque Arm Bush	8	770701	16	770701	24	770701	8	770701	16	770701	24	770701
22	Spring Clamp Plate	2	900003	4	900003	6	900003	2	900009	4	900009	6	900009
23	8 Leaf Spring	2	770706	4	770706	6	770706	2	770706	4	770706	6	770706
23	9 Leaf Spring	2	787505	4	787505	6	787505	6	787505	4	787505	6	787505
24	M22 x 2.0 U-Bolt (2)	4	770721	8	770721	12	770721	4	773015	8	773015	12	773015
25	M22 x 2.0 Nut	8	770723	16	770723	24	770723	8	770723	16	770723	24	770723
26	M22 Washer	8	770724	16	770724	24	770724	8	770724	16	770724	24	770724
27	Spring Seat - UL (Ultra Low - 20mm)	2	900027	4	900027	6	900027	2	900008	4	900008	6	900008
27	Spring Seat - L (Low - 50mm)	2	900017	4	900017	6	900017	2	900028	4	900028	6	900028
27	Spring Seat - M (Medium - 75mm)	2	900025	4	900025	6	900025	2	900073	4	900073	6	900073
27	Spring Seat - H (High - 100mm)	2	900015	4	900015	6	900015	2	900074	4	900074	6	900074

Note 1: Axle Spacing

Note 2: Specify U-Bolt length for actual spare part replacement.

YTE 75 Mechanical Suspension, Underslung



YORK
SIMPLY MILES AHEAD

YTE 75 Mechanical Suspension, Underslung

Item	Description	5" Round Axle Beam						6" Square Axle Beam					
		Single		Tandem		Tri-Axle		Single		Tandem		Tri-Axle	
		Qty.	Part No.	Qty.	Part No.	Qty.	Part No.	Qty.	Part No.	Qty.	Part No.	Qty.	Part No.
1	Front/Rear Hanger	4	900037	4	900037	4	900037	4	900037	4	900037	4	900037
3	M12 x 1.75 x 120 Ht. Hex. Bolt	2	HB12/175/120	2	HB12/175/120	2	HB12/175/120						
4	M12 x 1.75 Nylon Locknut	6	LN12/175	14	LN12/175	22	LN12/175			12	LN12/175	20	LN12/175
5	Equalizer Hanger - 1230mm, 1315mm (1)			2	900036	4	900036			2	900036	4	900036
5	Equalizer Hanger - 1360mm, 1540mm (1)			2	900089	4	900089			2	900089	4	900089
6	Equalizer - 1230mm (1)			2	900007	4	900007			2	900007	4	900007
6	Equalizer - 1315mm, 1360mm (1)			2	900206	4	900206			2	900206	4	900206
6	Equalizer - 1540mm (1)			2	900010	4	900010			2	900010	4	900010
7	M12 x 1.75 x 130 Ht. Hex. Bolt			4	HB12/175/130	8	HB12/175/130			4	HB12/175/130	8	HB12/175/130
8	Equalizer Shaft			2	900018	4	900018			2	900018	4	900018
9	M24 x 3.0 Nylon Locknut			10	LN24/300	16	LN24/300			10	LN24/300	16	LN24/300
10	Equalizer Washer			2	901009	4	901009			2	901009	4	901009
11	Equalizer Bush			4	901020	8	901020			4	901020	8	901020
11	Equalizer Bush (Poly)			4	901020P	8	901020P			4	901020P	8	901020P
12	Fixed Torque Arm	1	901100/380	1	901100/380	1	901100/380	1	901100/380	1	901100/380	1	901100/380
13	Adjustable Torque Arm Screw (260mm)	1	900033/01	1	900033/01	1	900033/01	1	900033/01	1	900033/01	1	900033/01
14	Adjustable Torque Arm End R/H	1	900024R	2	900024R	3	900024R	1	900024R	2	900024R	3	900024R
15	Adjustable Torque Arm End L/H	1	900024L	2	900024L	3	900024L	1	900024L	2	900024L	3	900024L
16	M12 x 1.75 x 50 Ht. Hex. Bolt	4	HB12/175/050	8	HB12/175/050	12	HB12/175/050	4	HB12/175/050	8	HB12/175/050	12	HB12/175/050
17	Fixed Torque Arm - 1230mm, 1540mm (1)			1	901100/470	2	901100/470			1	901100/470	2	901100/470
17	Fixed Torque Arm - 1315mm (1)			1	901100/525	2	901100/525			1	901100/525	2	901100/525
17	Fixed Torque Arm - 1360mm (1)			1	901100/380	2	901100/380			1	901100/380	2	901100/380
18	Adjustable Torque Arm Screw (260mm)			1	900033/01	2	900033/01			1	900033/01	2	900033/01
18	Adjustable Torque Arm Screw (350mm)			1	900033/02	2	900033/02			1	900033/02	2	900033/02
19	Torque Arm Pin	4	930017	8	930017	12	930017	4	930017	8	930017	12	930017
20	Torque Arm Washer	4	901010	8	901010	12	901010	4	901010	8	901010	12	901010
21	Torque Arm Bush	8	770701	16	770701	24	770701	8	770701	16	770701	24	770701
22	Spring Clamp Plate - 8 Leaf Spring	2	900003	4	900003	6	900003	2	900009	4	900009	6	900009
22	Spring Clamp Plate - 10 Leaf Spring	2	787697/01	4	787697/01	6	787697/01			4	787697/02	6	787697/02
23	8 Leaf Spring	2	770706	4	770706	6	770706	2	770706	4	770706	6	770706
23	9 Leaf Spring	2	787505	4	787505	6	787505	6	787505	4	787505	6	787505
23	10 Leaf Spring	2	770710	4	770710	6	770710	2	770710	4	770710	6	770710
24	M22 x 2.0 U-Bolt - 8 Leaf Spring (2)	4	770721	8	770721	12	770721	4	773015	8	773015	12	773015
24	M24 x 2.0 U-Bolt - 10 Leaf Spring (2)	4	503281	8	503281	12	503281	4	773011	8	773011	12	773011
25	M22 x 2.0 Nut	8	770723	16	770723	24	770723	8	770723	16	770723	24	770723
25	M24 x 2.0 Nut	8	503288	16	503288	24	503288	8	503288	16	503288	24	503288
26	M22 Washer	8	770724	16	770724	24	770724	8	770724	16	770724	24	770724
26	M24 Washer	8	503289	16	503289	24	503289	8	503289	16	503289	24	503289
27	Spring Seat	2	900027	4	900027	6	900027	2	900008	4	900008	6	900008

Note 1: Axle Spacing

Note 2: Specify U-Bolt length for actual spare part replacement.

YTE 75 Mechanical Suspension, Underslung



YTE 75 Mechanical Suspension, Underslung

Item	Description	5" Round Axle Beam					
		Single		Tandem		Tri-Axle	
		Qty.	Part No.	Qty.	Part No.	Qty.	Part No.
1	Front Hanger	2	900201	2	900201	2	900201
2	Rear Hanger	2	900203	2	900203	2	900203
3	M12 x 1.75 x 120 Ht. Hex. Bolt	2	HB12/175/120	2	HB12/175/120	2	HB12/175/120
4	M12 x 1.75 Nylon Locknut	6	LN12/175	14	LN12/175	22	LN12/175
5	Equalizer Hanger - 1230mm, 1360mm (1)			2	900202	4	900202
5	Equalizer Hanger - 1540mm (1)			2	900204	4	900204
6	Equalizer - 1230mm (1)			2	900007	4	900007
6	Equalizer - 1360mm (1)			2	900206	4	900206
6	Equalizer - 1540mm (1)			2	900010	4	900010
7	M12 x 1.75 x 130 Ht. Hex. Bolt			4	HB12/175/130	8	HB12/175/130
8	Equalizer Shaft			2	900018	4	900018
9	M24 x 3.0 Nylon Locknut			10	LN24/300	16	LN24/300
10	Equalizer Washer			2	901009	4	901009
11	Equalizer Bush			4	901020	8	901020
11	Equalizer Bush (Poly)			4	901020P	8	901020P
12	Fixed Torque Arm	1	901100/395	1	901100/395	1	901100/395
13	Adjustable Torque Arm Screw (260mm)	1	900033/01	1	900033/01	1	900033/01
14	Adjustable Torque Arm End R/H	1	900024R	2	900024R	3	900024R
15	Adjustable Torque Arm End L/H	1	900024L	2	900024L	3	900024L
16	M12 x 1.75 x 50 Ht. Hex. Bolt	4	HB12/175/050	8	HB12/175/050	12	HB12/175/050
17	Fixed Torque Arm - 1230mm (1)			1	901100/470	2	901100/470
17	Fixed Torque Arm - 1360mm (1)			1	901100/525	2	901100/525
17	Fixed Torque Arm - 1540mm (1)			1	901100/430	2	901100/430
18	Adjustable Torque Arm Screw (260mm)			1	900033/01	2	900033/01
18	Adjustable Torque Arm Screw (350mm)			1	900033/02	2	900033/02
19	Torque Arm Pin	4	930017	8	930017	12	930017
20	Torque Arm Washer	4	901010	8	901010	12	901010
21	Torque Arm Bush	8	770701	16	770701	24	770701
23	8 Leaf Spring	2	770706	4	770706	6	770706
23	9 Leaf Spring	2	787505	4	787505	6	787505
23	10 Leaf Spring	2	770710	2	770710	2	770710
24	M22 x 2.0 U-Bolt - 8 Leaf Spring (2)	4	770721	8	770721	12	770721
24	M24 x 2.0 U-Bolt - 10 Leaf Spring (2)	4	503281	4	503281	4	503281
25	M22 x 2.0 Nut	8	770723	16	770723	24	770723
25	M24 x 2.0 Nut	8	503288	8	503288	8	503288
26	M22 Washer	8	770724	16	770724	24	770724
26	M24 Washer	8	503289	8	503289	8	503289
27	Spring Seat	2	900046	4	900046	6	900046
28	Bottom Clamp Plate, Underslung - 8 Leaf Spring	2	770778	4	770778	6	770778
28	Bottom Clamp Plate, Underslung - 10 Leaf Spring	2	770778/01	2	770778/01	2	770778/01

Note 1: Axle Spacing

Note 2: Specify U-Bolt length for actual spare part replacement.

YTE75 Underslung (Option) - Rev.C(11.11.09)

YTE 75/90 Mechanical Suspension, Overslung



YTE 75/90 Mechanical Suspension, Overslung

Item	Description	5" Round Axle Beam						6" Square Axle Beam					
		Single		Tandem		Tri-Axle		Single		Tandem		Tri-Axle	
		Qty.	Part No.	Qty.	Part No.	Qty.	Part No.	Qty.	Part No.	Qty.	Part No.	Qty.	Part No.
1	Front Hanger	2	900207/WP	2	900207/WP	2	900207/WP	2	900207/WP	2	900207/WP	2	900207/WP
2	Rear Hanger	2	900208/WP	2	900208/WP	2	900208/WP	2	900208/WP	2	900208/WP	2	900208/WP
3	M16 x 2.0 x 150 Ht. Hex. Bolt	2	HB16/200/130	6	HB16/200/130	10	HB16/200/130	2	HB16/200/130	6	HB16/200/130	10	HB16/200/130
4	M16 x 2.0 Nylon Locknut	2	LN16/200	6	LN16/200	10	LN16/200	2	LN16/200	6	LN16/200	10	LN16/200
5	Equalizer Hanger			2	930003	4	930003			2	930003	4	930003
6	Equalizer - 1300mm (1)			2	900209WP	4	900209WP			2	900209WP	4	900209WP
6	Equalizer - 1540mm (1)			2	900210WP	4	900210WP			2	900210WP	4	900210/WP
8	Equalizer Shaft			2	930015	4	930015			2	930015	4	930015
8	Equalizer Shaft (Hard Chromed) Optional			2	930172	4	930172			2	930172	4	930172
9	M30 x 3.5 Nylon Locknut			2	LN30/350	4	LN30/350			2	LN30/350	4	LN30/350
10	Equalizer Washer			2	930203	4	930203			2	930203	4	930203
11	Equalizer Bush			2	930009	4	930009			2	930009	4	930009
11	Equalizer Bush (Vesconite) Optional			2	930170	4	930170			2	930170	4	930170
12	Fixed Torque Arm	1	901100/395	1	901100/395	1	901100/395	1	901100/395	1	901100/395	1	901100/395
13	Adjustable Torque Arm Screw (260mm)	1	900033/01	1	900033/01	1	900033/01	1	900033/01	1	900033/01	1	900033/01
14	Adjustable Torque Arm End R/H	1	900024R	2	900024R	3	900024R	1	900024R	2	900024R	3	900024R
15	Adjustable Torque Arm End L/H	1	900024L	2	900024L	3	900024L	1	900024L	2	900024L	3	900024L
16	M12 x 1.75 x 50 Ht. Hex. Bolt	4	HB12/175/050	8	HB12/175/050	12	HB12/175/050	4	HB12/175/050	8	HB12/175/050	12	HB12/175/050
17	Fixed Torque Arm - 1300mm (1)			1	901100/525	2	901100/525			1	901100/525	2	901100/525
17	Fixed Torque Arm - 1360mm (1)			1	901100/550	2	901100/550			1	901100/550	2	901100/550
17	Fixed Torque Arm - 1540mm (1)			1	901100/620	2	901100/620			1	901100/620	2	901100/620
18	Adjustable Torque Arm Screw (350mm)			1	900033/02	2	900033/02			1	900033/02	2	900033/02
18	Adjustable Torque Arm Screw (420mm)			1	900033/03	2	900033/03			1	900033/03	2	900033/03
18	Adjustable Torque Arm Screw (480mm)			1	900033/04	2	900033/04			1	900033/04	2	900033/04
19	Torque Arm Pin	4	930017	8	930017	12	930017	4	930017	8	930017	12	930017
20	Torque Arm Washer	4	901010	8	901010	12	901010	4	901010	8	901010	12	901010
21	Torque Arm Bush (Poly)	8	770701P	16	770701P	24	770701P	8	770701P	16	770701P	24	770701P
21	Torque Arm Bush (Poly) Oversize Option	8	901019P	16	901019P	24	901019P	8	901019P	16	901019P	24	901019P
22	Top Clamp Plate	2	787697/01	4	787697/01	6	787697/01	2	787697/02	4	787697/02	6	787697/02
23	10 Leaf Spring	2	770710	4	770710	6	770710	2	770710	4	770710	6	770710
24	M24 x 2.0 U-Bolt (2)	4	503281	8	503281	12	503281	4	773011	8	773011	12	773011
25	M24 x 2.0 Nut	8	503288	16	503288	24	503288	8	503288	16	503288	24	503288
26	M24 Washer	8	503289	16	503289	24	503289	8	503289	16	503289	24	503289
27	Spring Seat	2	900027	4	900027	6	900027	2	900008	4	900008	6	900008
29	Lip Seal 5mm			4	930071/01	8	930071/01			4	930071/01	8	930071/01
30	M8 x 1.0 Equalizer Shaft Grease Nipple			2	930048	4	930048			2	930048	4	930048
31	M8 x 1.0 Equalizer Shaft Plug			2	930048/01	4	930048/01			2	930048/01	4	930048/01
32	M12 x 1.75 Nylon Locknut	4	LN12/175	8	LN12/175	12	LN12/175	4	LN12/175	8	LN12/175	12	LN12/175
33	M24 x 3.0 Nylon Locknut	4	LN24/300	8	LN24/300	12	LN24/300	4	LN24/300	8	LN24/300	12	LN24/300

Note 1: Axle Spacing

Note 2: Specify U-Bolt length for actual spare part replacement.


3
2
4
24
27
28
26
25
20
21
33
17
19
14
18
16
15
32
31
8
23
5
6
29
11
30
10
9
13
12
1

YTE 75/90 Mechanical Suspension, Underslung

Item	Description	5" Round Axle Beam						6" Square Axle Beam					
		Single		Tandem		Tri-Axle		Single		Tandem		Tri-Axle	
		Qty.	Part No.	Qty.	Part No.	Qty.	Part No.	Qty.	Part No.	Qty.	Part No.	Qty.	Part No.
1	Front Hanger	2	900207/WP	2	900207/WP	2	900207/WP	2	900207/WP	2	900207/WP	2	900207/WP
2	Rear Hanger	2	900208/WP	2	900208/WP	2	900208/WP	2	900208/WP	2	900208/WP	2	900208/WP
3	M16 x 2.0 x 150 Ht. Hex. Bolt	2	HB16/200/130	6	HB16/200/130	10	HB16/200/130	2	HB16/200/130	6	HB16/200/130	10	HB16/200/130
4	M16 x 2.0 Nylon Locknut	2	LN16/200	6	LN16/200	10	LN16/200	2	LN16/200	6	LN16/200	10	LN16/200
5	Equalizer Hanger			2	930003	4	930003			2	930003	4	930003
6	Equalizer - 1300mm (1)			2	900209/WP	4	900209/WP			2	900209/WP	4	900209/WP
6	Equalizer - 1540mm (1)			2	900210/WP	4	900210/WP			2	900210/WP	4	900210/WP
8	Equalizer Shaft			2	930015	4	930015			2	930015	4	930015
8	Equalizer Shaft (Hard Chromed) Optional			2	930172	4	930172			2	930172	4	930172
9	M30 x 3.5 Nylon Locknut			2	LN30/350	4	LN30/350			2	LN30/350	4	LN30/350
10	Equalizer Washer			2	930203	4	930203			2	930203	4	930203
11	Equalizer Bush			2	930009	4	930009			2	930009	4	930009
11	Equalizer Bush (Vesconite) Optional			2	930170	4	930170			2	930170	4	930170
12	Fixed Torque Arm	1	901100/380	1	901100/380	1	901100/380	1	901100/380	1	901100/380	1	901100/380
13	Adjustable Torque Arm Screw (260mm)	1	900033/01	1	900033/01	1	900033/01	1	900033/01	1	900033/01	1	900033/01
14	Adjustable Torque Arm End R/H	1	900024R	2	900024R	3	900024R	1	900024R	2	900024R	3	900024R
15	Adjustable Torque Arm End L/H	1	900024L	2	900024L	3	900024L	1	900024L	2	900024L	3	900024L
16	M12 x 1.75 x 50 Ht. Hex. Bolt	4	HB12/175/050	8	HB12/175/050	12	HB12/175/050	4	HB12/175/050	8	HB12/175/050	12	HB12/175/050
17	Fixed Torque Arm - 1300mm (1)			1	901100/495	2	901100/495			1	901100/495	2	901100/495
17	Fixed Torque Arm - 1360mm (1)			1	901100/525	2	901100/525			1	901100/525	2	901100/525
17	Fixed Torque Arm - 1540mm (1)			1	901100/605	2	901100/605						
18	Adjustable Torque Arm Screw (350mm)			1	900033/02	2	900033/02			1	900033/02	2	900033/02
18	Adjustable Torque Arm Screw (420mm)			1	900033/03	2	900033/03						
19	Torque Arm Pin	4	930017	8	930017	12	930017	4	930017	8	930017	12	930017
20	Torque Arm Washer	4	901010	8	901010	12	901010	4	901010	8	901010	12	901010
21	Torque Arm Bush (Poly)	8	770701P	16	770701P	24	770701P	8	770701P	16	770701P	24	770701P
23	10 Leaf Spring	2	770710	4	770710	6	770710	2	770710	4	770710	6	770710
24	M24 x 2.0 U-Bolt (2)	4	503281	8	503281	12	503281	4	773011	8	773011	12	773011
25	M24 x 2.0 Nut	8	503288	16	503288	24	503288	8	503288	16	503288	24	503288
26	M24 Washer	8	503289	16	503289	24	503289	8	503289	16	503289	24	503289
27	Spring Seat	2	900046	4	900046	6	900046	2	900211	4	900211	6	900211
28	Bottom Clamp Plate, Underslung	2	770778/01	4	770778/01	6	770778/01	2	770778/02	4	770778/02	6	770778/02
29	Lip Seal 5mm			4	930071/01	8	930071/01			4	930071/01	8	930071/01
30	M8 x 1.0 Equalizer Shaft Grease Nipple			2	930048	4	930048	1	901100/370	2	930048	4	930048
31	M8 x 1.0 Equalizer Shaft Plug			2	930048/01	4	930048/01	1	900033/01	2	930048/01	4	930048/01
32	M12 x 1.75 Nylon Locknut	4	LN12/175	8	LN12/175	12	LN12/175	4	LN12/175	8	LN12/175	12	LN12/175
33	M24 x 3.0 Nylon Locknut	4	LN24/300	8	LN24/300	12	LN24/300	4	LN24/300	8	LN24/300	12	LN24/300

Note 1: Axle Spacing

Note 2: Specify U-Bolt length for actual spare part replacement.

YTE 90 Mechanical Suspension, Overslung

(for Standard Reverse U-Bolt Clamping)



YORK
SIMPLY MILES AHEAD

YTE 90 Mechanical Suspension, Overslung

(for Standard Reverse U-Bolt Clamping)

Item	Description	6" Round Axle Beam						6" Square Axle Beam					
		Single		Tandem		Tri-Axle		Single		Tandem		Tri-Axle	
		Qty.	Part No.	Qty.	Part No.	Qty.	Part No.	Qty.	Part No.	Qty.	Part No.	Qty.	Part No.
1	Front Hanger	2	930001/WP	2	930001/WP	2	930001/WP	2	930001/WP	2	930001/WP	2	930001/WP
2	Rear Hanger	2	930002/WP	2	930002/WP	2	930002/WP	2	930002/WP	2	930002/WP	2	930002/WP
3	M16 x 2.0 x 150 Ht. Hex. Bolt	2	HB16/200/150	6	HB16/200/150	10	HB16/200/150	2	HB16/200/150	6	HB16/200/150	10	HB16/200/150
4	M16 x 2.0 Nylon Locknut	2	LN16/200	6	LN16/200	10	LN16/200	2	LN16/200	6	LN16/200	10	LN16/200
5	Equalizer Hanger			2	930003	4	930003			2	930003	4	930003
6	Equalizer - 1300mm (1)			2	930004/WP	4	930004/WP			2	930004/WP	4	930004/WP
6	Equalizer - 1540mm (1)			2	930039/WP	4	930039/WP			2	930039/WP	4	930039/WP
8	Equalizer Shaft			2	930015	4	930015			2	930015	4	930015
8	Equalizer Shaft (Hard Chromed) Optional			2	930172	4	930172			2	930172	4	930172
9	M30 x 3.5 Nylon Locknut			2	LN30/350	4	LN30/350			2	LN30/350	4	LN30/350
10	Equalizer Washer			2	930203	4	930203			2	930203	4	930203
11	Equalizer Bush			2	930009	4	930009			2	930009	4	930009
11	Equalizer Bush (Vesconite) Optional			2	930170	4	930170			2	930170	4	930170
12	Fixed Torque Arm	1	901100/380	1	901100/380	1	901100/380	1	901100/380	1	901100/380	1	901100/380
13	Adjustable Torque Arm Screw (260mm)	1	900033/01	1	900033/01	1	900033/01	1	900033/01	1	900033/01	1	900033/01
14	Adjustable Torque Arm End R/H	1	900024R	2	900024R	3	900024R	1	900024R	2	900024R	3	900024R
15	Adjustable Torque Arm End L/H	1	900024L	2	900024L	3	900024L	1	900024L	2	900024L	3	900024L
16	M12 x 1.75 x 50 Ht. Hex. Bolt	4	HB12/175/050	8	HB12/175/050	12	HB12/175/050	4	HB12/175/050	8	HB12/175/050	12	HB12/175/050
17	Fixed Torque Arm - 1300mm (1)			1	901100/495	2	901100/495			1	901100/495	2	901100/495
17	Fixed Torque Arm - 1360mm (1)			1	901100/525	2	901100/525			1	901100/525	2	901100/525
17	Fixed Torque Arm - 1540mm (1)			1	901100/620	2	901100/620			1	901100/620	2	901100/620
18	Adjustable Torque Arm Screw (350mm)			1	900033/02	2	900033/02			1	900033/02	2	900033/02
18	Adjustable Torque Arm Screw (480mm)			1	900033/04	2	900033/04			1	900033/04	2	900033/04
19	Torque Arm Pin	4	930017	8	930017	12	930017	4	930017	8	930017	12	930017
20	Torque Arm Washer	4	901010	8	901010	12	901010	4	901010	8	901010	12	901010
21	Torque Arm Bush (Poly)	8	770701P	16	770701P	24	770701P	8	770701P	16	770701P	24	770701P
22	Top Clamp Plate	2	930006	4	930006	6	930006	2	930006	4	930006	6	930006
23	10 Leaf Spring	2	930010	4	930010	6	930010	2	930010	4	930010	6	930010
24	M24 x 2.0 U-Bolt (2)	4	930016	8	930016	12	930016	4	930016	8	930016	12	930016
25	M24.x 2.0 Nut	8	503288	16	503288	24	503288	8	503288	16	503288	24	503288
26	M24 Washer	8	503289	16	503289	24	503289	8	503289	16	503289	24	503289
27	Spring Seat	2	930030	4	930030	6	930030	2	930011	4	930011	6	930011
28	Bottom Clamp Plate	2	930053	4	930053	6	930053	2	930008	4	930008	6	930008
29	Lip Seal 5mm			4	930071/01	8	930071/01			4	930071/01	8	930071/01
30	M8 x 1.0 Equalizer Shaft Grease Nipple			2	930048	4	930048			2	930048	4	930048
31	M8 x 1.0 Equalizer Shaft Plug			2	930048/01	4	930048/01			2	930048/01	4	930048/01
32	M12 x 1.75 Nylon Locknut	4	LN12/175	8	LN12/175	12	LN12/175	4	LN12/175	8	LN12/175	12	LN12/175
33	M24 x 3.0 Nylon Locknut	4	LN24/300	8	LN24/300	12	LN24/300	4	LN24/300	8	LN24/300	12	LN24/300

Note 1: Axle Spacing

Note 2: Specify U-Bolt length for actual spare part replacement.

YTE90 Overslung - Rev.D(06.11.09)

YTE 90 Mechanical Suspension, Overslung

(for Bottom-Up U-Bolt Clamping - Optional)



YORK
SIMPLY MILES AHEAD

YTE 90 Mechanical Suspension, Overslung

(for Bottom-Up U-Bolt Clamping - Optional)

Item	Description	6" Round Axle Beam						6" Square Axle Beam	
		Single		Tandem		Tri-Axle		Tri-Axle	
		Qty.	Part No.	Qty.	Part No.	Qty.	Part No.	Qty.	Part No.
1	Front Hanger	2	930001/WP	2	930001/WP	2	930001/WP	2	930001/WP
2	Rear Hanger	2	930002/WP	2	930002/WP	2	930002/WP	2	930002/WP
3	M16 x 2.0 x 150 Ht. Hex. Bolt	2	HB16/200/150	6	HB16/200/150	10	HB16/200/150	10	HB16/200/150
4	M16 x 2.0 Nylon Locknut	2	LN16/200	6	LN16/200	10	LN16/200	10	LN16/200
5	Equalizer Hanger			2	930003	4	930003	4	930003
6	Equalizer - 1300mm (1)			2	930004/WP	4	930004/WP	4	930004/WP
6	Equalizer - 1540mm (1)			2	930039/WP	4	930039/WP	4	930039/WP
8	Equalizer Shaft			2	930015	4	930015	4	930015
8	Equalizer Shaft (Hard Chromed) Optional			2	930172	4	930172	4	930172
9	M30 x 3.5 Nylon Locknut			2	LN30/350	4	LN30/350	4	LN30/350
10	Equalizer Washer			2	930203	4	930203	4	930203
11	Equalizer Bush			2	930009	4	930009	4	930009
11	Equalizer Bush (Vesconite) Optional			2	930170	4	930170	4	930170
12	Fixed Torque Arm	1	901100/380	1	901100/380	1	901100/380	1	901100/380
13	Adjustable Torque Arm Screw (260mm)	1	900033/01	1	900033/01	1	900033/01	1	900033/01
14	Adjustable Torque Arm End R/H	1	900024R	2	900024R	3	900024R	3	900024R
15	Adjustable Torque Arm End L/H	1	900024L	2	900024L	3	900024L	3	900024L
16	M12 x 1.75 x 50 Ht. Hex. Bolt	4	HB12/175/050	8	HB12/175/050	12	HB12/175/050	12	HB12/175/050
17	Fixed Torque Arm - 1300mm (1)			1	901100/495	2	901100/495	2	901100/495
17	Fixed Torque Arm - 1360mm (1)			1	901100/525	2	901100/525	2	901100/525
17	Fixed Torque Arm - 1540mm (1)			1	901100/620	2	901100/620	2	901100/620
18	Adjustable Torque Arm Screw (350mm)			1	900033/02	2	900033/02	2	900033/02
18	Adjustable Torque Arm Screw (480mm)			1	900033/04	2	900033/04	2	900033/04
19	Torque Arm Pin	4	930017	8	930017	12	930017	12	930017
20	Torque Arm Washer	4	901010	8	901010	12	901010	12	901010
21	Torque Arm Bush (Poly)	8	770701P	16	770701P	24	770701P	24	770701P
22	Top Clamp Plate	2	930035	4	930035	6	930035	6	930035
23	10 Leaf Spring	2	930010	4	930010	6	930010	6	930010
24	M24 x 2.0 U-Bolt (2)	4	503283	8	503283	12	503283	12	773011
25	M24.x 2.0 Nut	8	503288	16	503288	24	503288	24	503288
26	M24 Washer	8	503289	16	503289	24	503289	24	503289
27	Spring Seat	2	930030	4	930030	6	930030	6	930011
29	Lip Seal 5mm			4	930071/01	8	930071/01	8	930071/01
30	M8 x 1.0 Equalizer Shaft Grease Nipple			2	930048	4	930048	4	930048
31	M8 x 1.0 Equalizer Shaft Plug			2	930048/01	4	930048/01	4	930048/01
32	M12 x 1.75 Nylon Locknut	4	LN12/175	8	LN12/175	12	LN12/175	12	LN12/175
33	M24 x 3.0 Nylon Locknut	4	LN24/300	8	LN24/300	12	LN24/300	12	LN24/300

Note 1: Axle Spacing

Note 2: Specify U-Bolt length for actual spare part replacement.

YTE90 Overslung Option - Rev.D(06.11.09)

YTE 90 Mechanical Suspension, Underslung



YTE 90 Mechanical Suspension, Underslung

Item	Description	6" Round Axle Beam						6" Square Axle Beam					
		Single		Tandem		Tri-Axle		Single		Tandem		Tri-Axle	
		Qty.	Part No.	Qty.	Part No.	Qty.	Part No.	Qty.	Part No.	Qty.	Part No.	Qty.	Part No.
1	Front Hanger	2	930001/WP	2	930001/WP	2	930001/WP	2	930001/WP	2	930001/WP	2	930001/WP
2	Rear Hanger	2	930002/WP	2	930002/WP	2	930002/WP	2	930002/WP	2	930002/WP	2	930002/WP
3	M16 x 2.0 x 150 Ht. Hex. Bolt	2	HB16/200/150	6	HB16/200/150	10	HB16/200/150	2	HB16/200/150	6	HB16/200/150	10	HB16/200/150
4	M16 x 2.0 Nylon Locknut	2	LN16/200	6	LN16/200	10	LN16/200	2	LN16/200	6	LN16/200	10	LN16/200
5	Equalizer Hanger			2	930003	4	930003			2	930003	4	930003
6	Equalizer - 1300mm (1)			2	930004/WP	4	930004/WP			2	930004/WP	4	930004/WP
6	Equalizer - 1540mm (1)			2	930039/WP	4	930039/WP			2	930039/WP	4	930039/WP
8	Equalizer Shaft			2	930015	4	930015			2	930015	4	930015
8	Equalizer Shaft (Hard Chromed) Optional			2	930172	4	930172			2	930172	4	930172
9	M30 x 3.5 Nylon Locknut			2	LN30/350	4	LN30/350			2	LN30/350	4	LN30/350
10	Equalizer Washer			2	930203	4	930203			2	930203	4	930203
11	Equalizer Bush			2	930009	4	930009			2	930009	4	930009
11	Equalizer Bush (Vesconite) Optional			2	930170	4	930170			2	930170	4	930170
12	Fixed Torque Arm	1	901100/380	1	901100/380	1	901100/380	1	901100/380	1	901100/380	1	901100/380
13	Adjustable Torque Arm Screw (260mm)	1	900033/01	1	900033/01	1	900033/01	1	900033/01	1	900033/01	1	900033/01
14	Adjustable Torque Arm End R/H	1	900024R	2	900024R	3	900024R	1	900024R	2	900024R	3	900024R
15	Adjustable Torque Arm End L/H	1	900024L	2	900024L	3	900024L	1	900024L	2	900024L	3	900024L
16	M12 x 1.75 x 50 Ht. Hex. Bolt	4	HB12/175/050	8	HB12/175/050	12	HB12/175/050	4	HB12/175/050	8	HB12/175/050	12	HB12/175/050
17	Fixed Torque Arm - 1300mm (1)			1	901100/495	2	901100/495			1	901100/495	2	901100/495
17	Fixed Torque Arm - 1360mm (1)			1	901100/525	2	901100/525			1	901100/525	2	901100/525
17	Fixed Torque Arm - 1540mm (1)			1	901100/605	2	901100/605			1	901100/605	2	901100/605
18	Adjustable Torque Arm Screw (350mm)			1	900033/02	2	900033/02			1	900033/02	2	900033/02
18	Adjustable Torque Arm Screw (420mm)			1	900033/03	2	900033/03			1	900033/03	2	900033/03
19	Torque Arm Pin	4	930017	8	930017	12	930017	4	930017	8	930017	12	930017
20	Torque Arm Washer	4	901010	8	901010	12	901010	4	901010	8	901010	12	901010
21	Torque Arm Bush (Poly)	8	770701P	16	770701P	24	770701P	8	770701P	16	770701P	24	770701P
23	10 Leaf Spring	2	930010	4	930010	6	930010	2	930010	4	930010	6	930010
24	M24 x 2.0 U-Bolt (2)	4	503283	8	503283	12	503283	4	773011	8	773011	12	773011
25	M24.x 2.0 Nut	8	503288	16	503288	24	503288	8	503288	16	503288	24	503288
26	M24 Washer	8	503289	16	503289	24	503289	8	503289	16	503289	24	503289
27	Spring Seat	2	930044	4	930044	6	930044	2	930051	4	930051	6	930051
28	Bottom Clamp Plate, Underslung	2	930042	4	930042	6	930042	2	930042	4	930042	6	930042
29	Lip Seal 5mm			4	930071/01	8	930071/01			4	930071/01	8	930071/01
30	M8 x 1.0 Equalizer Shaft Grease Nipple			2	930048	4	930048			2	930048	4	930048
31	M8 x 1.0 Equalizer Shaft Plug			2	930048/01	4	930048/01			2	930048/01	4	930048/01
32	M12 x 1.75 Nylon Locknut	4	LN12/175	8	LN12/175	12	LN12/175	4	LN12/175	8	LN12/175	12	LN12/175
33	M24 x 3.0 Nylon Locknut	4	LN24/300	8	LN24/300	12	LN24/300	4	LN24/300	8	LN24/300	12	LN24/300

Note 1: Axle Spacing

Note 2: Specify U-Bolt length for actual spare part replacement.

YTE90 Underslung - Rev.D(06.11.09)