



Annexure 1 - Warranty Zone

Warranty Zone A: Australia, New

	warranty Period (Years or Kilometers)	Life Expectancy of Components	Parts Replacement
Axle Beam (includes axle tube, spider & booster brackets)	3 years	5 years	100%
Spindle	3years	5years	100%
Bearings – Standard	2yrs or 250,000km	400,000km	100%
Bearing – Premium	3years or 400,000km	500,000km	100%
Hub Seal	2years or 250,000km	300,000km	100%
Drum Brake	2years or 350,000km	450,000km	100%
Hub	2years or 250,000km	500,000km	100%
Camshaft	2years or 250,000km	500,000km	100%
Automatic Slack Adjuster	2years or 280,000km	350,000km	100%
Manual Slack Adjuster	2years or 225,000km	350,000km	100%
Wheel Stud & Nut	2years or 180,000km	400,000km	100%
Axle Nut Assembly.	2years or 300,000km	500,000km	100%
Mechanical Suspension Equaliser Bush - Poly Type	2years or 225,000km	280,000km	100%
Mechanical Suspension Torque arm Bush - Poly Type	2years or 180,000km	200,000km	100%
Leaf Springs	2years or 280,000km	400,000km	100%
Air Suspension (Structural)	2yeras or 300,000km	600,000km	100%
Pivot Bush (Air Suspension)	2years or 300,000km	450,000km	100%
Shock Absorber	1.5years or 250,000km	400,000km	100%
Air Spring	2years or 350,000km	500,000km	100%
Hangers – Mechanical / Air	2years or 300,000km	500,000km	100%
Air Controls Valves	1year or 80,000km	180,000km	100%

General Notes:

- The above Warranty Period covers product used on trailers which must travel for a minimum of **80%** of the time on Sealed roads (In other words asphalt or concrete surfaces.)
- Units operating outside this parameter (i.e. Moderate & off-road), the Warranty Period will be reduced to 50% of the period or kilometers travelled.
- The Warranty Period applies to either year or mileage whichever comes first.
- Warranty is only valid when the Trailers are installed and serviced according to the York's installation and service manual.
- The warranty excludes the followings:
 - All fasteners, clips, non-York components and all wear and tear items.
 - Units operating under submerged water conditions.



Annexure 1 - Warranty Zone

Warranty Zone B: South East A:

	Warranty Period (Years or Kilometers)	Life Expectancy of Components	PARIS Replacement
Axle Beam (includes axle tube, spider, spindle & booster brackets)	3years	5years	100%
Spindle	3years	5years	100%
Bearings - Standard	2years or 200,000km	400,000km	100%
Bearing – Premium	2.5years or 300,000km	500,000km	100%
Hub Seal - Standard	1.5years or 180,000km	250,000km	100%
Hub Seal - Premium	3years or 400,000km	500,000km	100%
Grease – XHP 222 – Mobil	2years or 255,000km	425,000km	100%
Drum Brake	2years or 280,000km	450,000km	100%
Hub	2years or 300,000km	500,00km	100%
Camshaft	2years or 280,000lm	500,000km	100%
Automatic Slack Adjuster	2years or 250,000km	350,000km	100%
Manual Slack Adjuster	1year or 200,000km	350,000km	100%
Wheel Stud & Nut	1year or 100,000lm	300,000km	100%
Axle Nut Assembly.	2years or 250,000lm	400,000km	100%
Mechanical Suspension Equaliser Bush - Poly Type	1.5years or 200,000km	250,000km	100%
Mechanical Suspension Torque Arm Bush - Poly Type	1year or 150,000km	180,000km	100%
Leaf Springs	2years or 250,000km	350,000km	100%
Air Suspension (Structural)	2years or 280,000km	500,000km	100%
Pivot Bush (Air Suspension)	2years or 250,000km	400,000km	100%
Shock Absorber	2years or 200,000km	400,000km	100%
Air Spring	2years or 300,000km	400,000km	100%
Hangers – Mechanical / Air	2years or 280,000km	400,000km	100%
Air Controls Valves	1year or 80,000km	180,000km	100%

General Notes:

- The above Warranty Period covers products used on trailers which must travel for a minimum of 60% of the time on Sealed roads (In other words asphalt or concrete surfaces).
- Units operating outside this parameter (i.e. Moderate & off-road), the Warranty Period will be reduced to 50% of the period or kilometers travelled.
- The Warranty Period applies to either year or mileage whichever comes first.
- Warranty is only valid when the Trailers are installed and serviced according to the York's servicing/installation manual.
- The warranty excludes the followings:
 - All fasteners, clips, non-York components and all wear and tear items.
 - Units operating under submerged water conditions.

~~Warranty Zone~~ Warranty Zone

Warranty Zone C& D: India, South Asia and Africa

	Warranty Period (Years or Kilometers)	Life Expectancy of Components	PARTS Replacement
Axle Beam (includes axle tube, spider, spindle & booster brackets)	3.5years	4.5years	100%
Spindle	3years	5years	100%
Bearings - Standard	1.5years or 150,000km	320,000km	100%
Hub Seals – Standard	1.5years or 150,000km	220,000km	100%
Drum Brake	1.5years or 180,000km	350,000km	100%
Hub	2years or 240,000km	350,000km	100%
Camshaft	1.5year or 180,000km	280,000km	100%
Manual Slack Adjuster	1year or 150,000km	220,000km	100%
Wheel Stud & Nut	1year or 100,000km	250,000km	100%
Axle Nut Assembly	1.5years or 150,000km	300,000km	100%
Brake Shoe	1.5years or 200,000km	320,000km	100%
Spherical Bearing Cam Shaft	1year or 150,000km	260,000km	100%

General Notes:

- The above Warranty Period covers products used on trailers which must travel for a minimum of 70% of the time on Sealed roads (In other words asphalt or concrete surfaces).
- Units operating outside this parameter (i.e. Moderate & off-road, Mining), the Warranty Period will be reduced to 70% of the period or kilometers travelled.
- The Warranty Period applies to either year or mileage whichever comes first.
- Warranty is only valid when the Trailers are installed and serviced according to the York's servicing/installation manual.
- The warranty excludes the followings:
 - All fasteners, clips, non-York components and all wear and tear items.
 - Units operating under submerged water conditions.

