



WARRANTY SPECIFICATION

YPS (York Precision system)

General Warranty Conditions.

Warranty Zone A: (Australia, New Zealand, North East Asia, West Europe and South Africa.)

Model Bearing Application.	Axle Capacity Actual Loadings	YEARS Warranty Note: Hub Assembly	KILOMETERS Warranty Note: Hub Assembly	INSPECTION Intervals Note: Hub assembly	REMARKS Installation Condition
TP Bearing Out Board Drum.	9 -10 Ton	5 year	1,300,000	400,000km	Australia: Special Premium Seal, Premium Semi-Fluid Grease with Axle ventilation. Premium Bearing (Half Toll)
TP Bearing Out Board Drum	9 -10 Ton	3 years	650,000	250,000km	Premium Seal ,Premium Grease – Premium Bearing
TP Bearing Out Board Drum	11-14 Ton	3 years	450,000	200,000km	Premium Seal , Premium Grease – Std. Bearing
TP Bearing Out Board Drum	9 -10 Ton	3 years	350,000	180,000km	Premium Seal , Std. Grease – Std. Bearing
TP Bearing Out Board Drum	11-14 Ton	2 years	250,000	120,000km	Standard Seal, Std. Grease – Std. Bearing
TP Bearing Out Board Drum	9 -10 Ton	2 years	350,000	180,000km	Standard Seal, Std. Grease – Std. Bearing
TN Bearing Out Board Drum	9 -10 Ton	5 years	900,000	360,000km	Australia: Special Premium Seal, Premium Semi-Fluid Grease with Axle ventilation. Premium Bearing (Half Toll.)
TN Bearing Out Board Drum	9 -10 Ton	3 years	600,000	220,000km	Premium Seal , Premium Grease – Premium Bearing
TN Bearing Out Board Drum	11-13 Ton	3 years	400,000	180,000km	Premium Seal , Premium Grease, - Std. Bearing
TN Bearing Out Board Drum	9 -10 Ton	2 years	300,000	150,000km	Premium Seal , Std. Grease , - Std. Bearing
TN Bearing Out Board Drum	11-13 Ton	2 years	200,000	110,000km	Standard Seal, Std. Grease – Std. Bearing
TN Bearing Out Board Drum	9 -10Ton	2 years	280,000	140,000km	Standard Seal, Std. Grease – Std. Bearing
TM Bearing Out Board Drum	9 -10 Ton	3 years	600,000	220,000km	Premium Seal , Premium Grease – Premium Bearing
TM Bearing Out Board Drum	11 -13 Ton	3 years	400,000	180,000km	Premium Seal, Premium Grease, - Std. Bearing.
TM Bearing Out Board Drum	9 -10 Ton	2 years	300,000	150,000km	Premium Seal, Std .Grease,- Std. Bearing.
TM Bearing Out Board Drum	11-13 Ton	2 years	200,000	110,000km	Standard Seal , Std. Grease, - Std. Bearing
TM Bearing Out Board Drum	9 -10 Ton	2 years	280,000	140,000km	Standard Seal, Std. Grease – Std. Bearing
TQ Bearing In Board Drum	15 -16 Ton	3 years	400,000	180,000km	Premium Seal, Premium Grease, Premium Bearing.
TQ Bearing In Board Drum	15 -16 Ton	2 years	280,000	140,000km	Premium Seal, Std. Grease, - Std. Bearing.
TQ Bearing In Board Drum	18-20 Ton	2 years	280,000	120,000km	Premium Seal, Premium Grease, Premium Bearing.
TQ Bearing In Board Drum	18-20 Ton	2 years	200,000	100,000km	Premium Seal, Std. Grease, - Std. Bearing.

Important Notes: - Conditions.

- The above warranty period covers product used on trailers which must travel for a minimum of **90%** of the time on Sealed road in good serviceable condition (In other words asphalt or concrete surfaces).

- Units operating outside this parameter (i.e. Moderate/ off road use conditions), a warranty period of **50%** is applicable as per Warranty specification stated above. Period of warranty apply to either year or mileage whichever comes first.

- Units operating under severe conditions such as corrugated unsealed roads, high ambient temp. and severe dust or mud conditions where severe duty suspensions are mandatory , warranty conditions is **25%** of the stated sealed road warranty conditions.

Note:

- Items not covered under warranty include:

- All fasteners, clips, and non-York components. (All wear and tear items).

- Units operating under submerged water conditions.

- **Inspection Intervals:** Please follow the service inspection Manual for YPS nut system. - Available on website: www.yorktransport.com (Copy available on request.)

WARRANTY SPECIFICATION

YPS (York Precision system)

General Warranty Conditions.

Warranty Zone B: (South East Asia, Indonesia Latin America, East Europe, China, Middle East Region)

Model Bearing Application.	Axle Capacity Actual Loadings	YEARS Warranty Note: Hub Assembly	KILOMETERS Warranty Note: Hub Assembly	INSPECTION Intervals. Note: Hub assembly	REMARKS Installation Condition
TP Bearing Out Board Drum	9 -10 Ton	3 years	500,000	250,000km	Premium Seal ,Premium Grease – Premium Bearing
TP Bearing Out Board Drum	11-14 Ton	3 years	400,000	200,000km	Premium Seal , Premium Grease – Std. Bearing
TP Bearing Out Board Drum	9 -10 Ton	2 years	300,000	150,000km	Premium Seal , Std. Grease – Std. Bearing
TP Bearing Out Board Drum	11-14 Ton	2 years	200,000	110,000km	Standard Seal, Std. Grease – Std. Bearing
TP Bearing Out Board Drum	9 -10 Ton	2 years	250,000	120,000km	Standard Seal, Std. Grease – Std. Bearing
TM Bearing Out Board Drum	9 -10 Ton	3 years	450,000	220,000km	Premium Seal , Premium Grease – Premium Bearing
TM Bearing Out Board Drum	11-13 Ton	3 years	400,000	160,000km	Premium Seal, Premium Grease, - Premium Bearing.
TM Bearing Out Board Drum	11-13 Ton	3 years	325,000	160,000km	Premium Seal, Premium Grease, - YTE Bearing.
TM Bearing Out Board Drum	9 -10 Ton	2 years	280,000	140,000km	Premium Seal, Std .Grease,- Std. Bearing.
TM Bearing Out Board Drum	11-13 Ton	2 years	200,000	110,000km	Standard Seal , Std. Grease, -Std. Bearing
TM Bearing Out Board Drum	9 -10 Ton	2 years	250,000	140,000km	Standard Seal, Std. Grease – Std. Bearing
TQ Bearing In Board Drum	15 -16 Ton	3 years	350,000	180,000km	Premium Seal, Premium Grease, Premium Bearing.
TQ Bearing In Board Drum	15 -16 Ton	2 years	250,000	120,000km	Premium Seal, Std. Grease, Premium Bearing.
TQ Bearing In Board Drum	15 -16 Ton	2 years	200,000	100,000km	Premium Seal, Std. Grease, - Std. Bearing.
TQ Bearing In Board Drum	18 -20 Ton	2 years	225,000	110,000km	Premium Seal, Premium Grease, Premium Bearing.
TQ Bearing In Board Drum	18 -20 Ton	2 years	180,000	90,000km	Premium Seal, Std. Grease, - Premium Bearing.
TQ Bearing In Board Drum	18 -20 Ton	2 years	150,000	80,000km	Premium Seal, Std. Grease, - Std. Bearing.

Important Notes: Conditions.

- The above warranty period covers product used on trailers which must travel for a minimum of **70%** of the time on Sealed road in good serviceable condition (In other words asphalt or concrete surfaces).
- Units operating outside this parameter (i.e. Moderate/ off road use conditions), a warranty period of **50%** is applicable as per Warranty specification stated above. Period of warranty apply to either year or mileage whichever comes first.
 - Units operating under severe conditions such as corrugated unsealed roads, high ambient temp. and severe dust or mud conditions where severe duty suspensions are mandatory , warranty conditions is **25%** of the stated sealed road warranty conditions.

Note:

- Items not covered under warranty include:
 - All fasteners, clips, and non-York components. (All wear and tear items).
 - Units operating under submerged water conditions.

- **Inspection Intervals:** Please follow the service inspection Manual for YPS nut system. - Available on website: www.yorktransport.com (Copy available on request.)

WARRANTY SPECIFICATION

YPS (York Precision system)

General Warranty Conditions.

Warranty Zone C: (South Asia, East, North and West Africa.)

Model Bearing Application.	AAXLE Capacity Actual Loadings	YEARS Warranty Note: Hub Assembly	KILOMETERS Warranty Note: Hub Assembly	INSPECTION Intervals Note: Hub assembly.	REMARKS Installation Condition.
TP Bearing Out Board Drum	9 -10 Ton	2 years	350,000	180,000km	Premium Seal , Premium Grease – Premium Bearing
TP Bearing Out Board Drum	11-14 Ton	2 years	280,000	150,000km	Premium Seal , Premium Grease – Std. Bearing
TP Bearing Out Board Drum	9 -10 Ton	2 years	250,000	120,000km	Premium Seal , Std. Grease – Std. Bearing
TP Bearing Out Board Drum	11-14 Ton	2 years	180,000	120,000km	Standard Seal, Std. Grease – Std. Bearing
TP Bearing Out Board Drum	9 -10 Ton	2 years	200,000	100,000km	Standard Seal, Std. Grease – Std. Bearing
TM Bearing Out Board Drum	9 -10Ton	2 years	300,000	150,000km	Premium Seal , Premium Grease – Premium Bearing
TM Bearing Out Board Drum	11-13 Ton	2 years	250,000	140,000km	Premium Seal, Premium Grease, - Std. Bearing.
TM Bearing Out Board Drum	9 -10 Ton	2 years	225,000	120,000km	Premium Seal, Std .Grease,- Std. Bearing.
TM Bearing Out Board Drum	11-13 Ton	2 years	150,000	100,000km	Standard Seal , Std. Grease, -Std. Bearing
TM Bearing Out Board Drum	9 -10 Ton	2 years	180,000	90,000km	Standard Seal, Std. Grease – YTE Bearing
TQ Bearing In Board Drum	15-16 Ton	2 years	200,000	120,000km	Premium Seal, Premium Grease, Premium Bearing.
TQ Bearing In Board Drum	15-16 Ton	2 years	180,000	90,000km	Premium Seal, Std. Grease, Premium Bearing.
TQ Bearing In Board Drum	15-16 Ton	2 years	150,000	80,000km	Premium Seal, Std. Grease, - Std. Bearing.
TQ Bearing In Board Drum	18-20 Ton	2 years	180,000	90,000km	Premium Seal, Premium Grease, Premium Bearing.
TQ Bearing In Board Drum	18-20 Ton	2 years	150,000	80,000km	Premium Seal, Std. Grease, - Premium Bearing.
TQ Bearing In Board Drum	18-20 Ton	2 years	120,000	80,000km	Premium Seal, Std. Grease, - Std. Bearing.

Important Notes: - Conditions.

- The above warranty period covers product used on trailers which must travel for a minimum of **60%** of the time on Sealed road in good serviceable condition (In other words asphalt or concrete surfaces).
- Units operating outside this parameter (i.e. Moderate/ off road use conditions), a warranty period of **50%** is applicable as per Warranty specification stated above. Period of warranty apply to either year or mileage whichever comes first.
 - Units operating under severe conditions such as corrugated unsealed roads, high ambient temp. and severe dust or mud conditions where severe duty suspensions are mandatory , warranty conditions is **25%** of the stated sealed road warranty conditions.

Note:

- Items not covered under warranty include:
 - All fasteners, clips, and non-York components. (All wear and tear items).
 - Units operating under submerged water conditions.

- **Inspection Intervals:** Please follow the service inspection Manual for YPS nut system. - Available on website: www.yorktransport.com (Copy available on request.)